7.12 Telecommunications Towers and Antenna

Telecommunication towers are regulated by the federal government. All applicants seeking approval of a telecommunication tower must seek the opinion of the municipality as part of the federal approval process. The Zoning By-law does not regulate the placement of towers other than those affecting an existing or accessory building as outlined in the sections below.

- 1) Telecommunications towers and antennae shall not be permitted on a street-facing portion of a building in a residential zone or abutting a residential zone.
- 2) Telecommunications towers and antennae in or abutting a residential zone shall be subject to all accessory buildings provisions of this by-law as per Section 7.4, with the exception of Sections 2) (a) and 4).
- 3) Where, in the opinion of the Development Officer, there is a risk of injury to occupiers or others, telecommunications towers shall be equipped with appropriate anti-climb devices or such other equipment as required to restrict access of the public thereto.
- 4) The Development Officer shall have the authority to require that all telecommunication towers be appropriately painted and landscaping be properly undertaken to minimize the impact of the appearance of such towers from adjacent properties.

7.13 Wind Turbines

1) The erection of a wind turbine shall only be permitted as an amendment to the Zoning By-law and subject to such terms and conditions as may be imposed by Council.

7.14 Swimming Pools

- 1) The property owner or contractor will be responsible for obtaining a permit and paying all fees to acquire a Village of New Maryland Building Permit for the installation of above-ground or in-ground swimming pools with a depth of 0.6 metres or more, or for any major repairs, such as, but not limited to, liner replacement, to existing pools.
- 2) The homeowner or contractor may **not** use a private well as a water source for filling pools.
- 3) Overhead or underground electrical lines are not permitted immediately above or below a swimming pool and 5 metres of horizontal clearance must be provided between the location of the power line and the edge of the pool.
- 4) No land shall be used for the purpose of a swimming pool unless it is:
 - (a) Enclosed by a fence or by a wall of a building or structure, or by a combination of walls and fences, at least 1.5 metres in height and meeting the requirements of this section:
 - (b) Located no less than 2.5 metres from any side or rear lot line;
 - (c) Located behind the rear line of the house;
 - (d) Located no less than 3.6 metres from the side street lot line when located on a corner lot; and
 - (e) Located no less than 1.2 metres from the wall of a building.
- 5) Doors and gates that form part of the required enclosure shall be self-latching to restrict access.
- An enclosure mentioned in Section 7.14, 4) shall not have rails, bracing or other attachments on the outside thereof that would facilitate climbing.
- 7) A fence mentioned in Section 7.14, 4) shall:
 - (a) Be made of chain link construction, with galvanized vinyl or other CSA approved coating, or of wood or of other materials, in the manner prescribed by Section 8) below;
 - (b) Not be electrified or incorporate barbed wire or other dangerous material; and
 - (c) Be located at least:

- (i) 1.2 metres from the edge of the swimming pool; and
- (ii) 1.2 metres from any condition that would facilitate its being climbed from the outside.
- 8) A fence under this section shall be designed and constructed:
 - (a) In the case of a fence made of chain links, with at least 3.8 centimetre diameter steel posts, set below frost level and spaced not more than 2.5 metres apart, with a top horizontal rail of at least 3.2 centimetre diameter steel:
 - (b) In the case of a fence made of wood, with:
 - (i) Vertical boarding, not less than two and one half centimetres by 10 centimetres nominal dimensions spaced not more than 4 centimetres apart, attached to supporting members and arranged in such manner as not to facilitate climbing on the outside; and
 - (ii) Supporting wood posts at least 8.9 centimetres square or round, set below frost and spaced not more than two and one half metres apart, with the portion below grade treated with a wood preservative;
 - (c) In the case of a fence made of metal and located within 3 metres of an in-ground pool, the fence must be grounded to the electrical panel of the dwelling; and
 - (d) In the case of a fence constructed with materials and in a manner other than described in this subsection, in a manner that will ensure rigidity equal to the design and construction prescribed by this subsection.
- 9) Gates forming part of an enclosure mentioned in Section 7.14, 5) shall:
 - (a) Be equivalent to the fence in content, manner of construction and height;
 - (b) Be supported on substantial hinges;
 - (c) Be self-closing and equipped with a self-latching device at least 1.2 metres above the bottom of the gate; and
 - (d) Have the bottom of the gate no more than 10 centimetres above grade.
- 10) Rigid hot tub covers, latched and locked in place when not in use, shall be permitted in lieu of the required fencing or enclosures referenced in Section 7.14, 5).

7.15 Residential Development near a Lagoon

1) Notwithstanding any other provision of this by-law, the minimum distance between a dwelling and sewage lagoon shall be in accordance with provincial guidelines.

7.16 Development Adjacent to a Watercourse

1) Subject to the provisions of the *Watercourse and Wetland Alteration Regulation* (N.B. Reg. 90-80) and any requirements or conditions subsequently imposed by provincial approval, notwithstanding any provision of this by-law, no person shall erect a building or structure within 30 metres of the high water mark of a watercourse without approval from the Planning Advisory Committee and in accordance with such terms and conditions as may be imposed by the Committee.

7.17 Home Occupations

- 1) Subject to Section 7.17, 2), where a home occupation is permitted under this by-law, one of the following occupations may be conducted as a home occupation in the main dwelling:
 - (a) An occupation such as professional services (engineer, architect, lawyer, accountant, financial planner, insurance agent, artist) in an office or studio therein; a neighbourhood daycare centre; a community daycare home; the teaching of music or dancing; or a barber or hairdresser. A hairdresser is permitted to include a maximum of two tanning beds; or
 - (b) Service oriented businesses, such as plumbers or electricians, where a home office would be the only part of the occupation being carried out on the premises.
 - (c) A use not mentioned in Clauses 1) (a) and 1) (b) above is prohibited unless approved by the Planning Advisory Committee.



Applicant Signature:

Village of New Maryland Building Permit / Development Permit

Application Form

Development Services Department 584 New Maryland Hwy. New Maryland, NB E3C 1K1 T. 506.451.8508 F. 506.450.1605

_	VERSIONET CONTRA					1 48	ge 1 of 2						
Proj	ect Address:			Lot No. PID:									
0	Applicant Name:			Email:			Phone #:						
nt Info	Address:		Postal Code:										
Applicant Info	Property Owner: (If different from applicant)		Email:			Phone #:							
Ą	Address:						Postal Code:						
Į.	General Contractor:			Email:				Phone #:					
Contractor Info	Address:							Postal Cod	de:				
ntrac	Engineering:		Found	dation:			Electrica	al:					
Ö	Excavation:		Pluml	oing:			Ventilat	tion:					
	Description of Proposed Work:												
	Estimated Start Date:			Estimated Completion Date:									
	Current Building Use:		Proposed Building Use:										
als	Estimated Total Cost (ETC):		Nature of Work: ☐ New Construction ☐ Renovation										
Submittals	Structural Dimensions: Length:	eight:	Storeys:										
Su	Building Permit (\$7.25 per \$1000 + \$20 fee)	Developme	nt Darmi	t <mark>(\$50.00 fee)</mark>	Minimum R	equired	Requeste	d Comissos					
Proposed Work & Required	Applicable Projects (Required Documents): Single Family Dwelling (A to H) Accessory Dwelling Unit (A,B,E,F,H) Multi-unit Dwelling (A to H) Manufactured Home (A to H, and L) Commercial (A to J) Assembly/Institutional (A to J) Change of Occupancy (E,I & J) Interior Renovation (E, H) Exterior Renovation (F) Addition (A to H) Deck (B and K) Accessory Building >27.0m² (B and K) Roofing Solar Energy Installation (A,B,D & H) Geothermal System (A,B,E & H) Other (per Building Inspector):	Applicable I (Required D Accessor Swimmir Excavatic Retaining Signs (A a	Projects Occument y Building g Pool/H on of Pits, g wall >1r and B)	ts): g <290 ft²(B) ot Tub (B) /Quarries (B) n Height (B)	A. Const B. Site P C. Drain D. Truss E. Floor F. Winc G. Energ H. Engir I. Code J. Field I K. Fram L. CSA C	truction Plans Plan age Design Drawings Plans Iow/Door Specs gy Efficiency Info. neered Products Analysis Review Forms ing Plan ertificate	Water Storm Sanitar Drivew Not Ap Curb Cut Ye Existing P Ye Existing Ye	Sewer ry Sewer vay Culvert uplicable Required: rsNo Private Well: rsNo g Septic: rsNo	Foundation Type: Formed Concrete I.C.F. (heated) Slab-on-Grade Slab-on-Grade (unheated) Helical Piles Deck Blocks Not Applicable Other: Heating System: Heat Pump Electric Oil Geothermal Solar Heated Slab Not Applicable Other:				
osed Work & Required	Applicable Projects (Required Documents): Single Family Dwelling (A to H) Accessory Dwelling Unit (A,B,E,F,H) Multi-unit Dwelling (A to H) Manufactured Home (A to H, and L) Commercial (A to J) Assembly/Institutional (A to J) Change of Occupancy (E,I & J) Interior Renovation (E, H) Exterior Renovation (F) Addition (A to H) Deck (B and K) Accessory Building >27.0m² (B and K) Roofing Solar Energy Installation (A,B,D & H) Geothermal System (A,B,E & H) Other (per Building Inspector):	Applicable I (Required D Accessor Swimmir Excavatic Retaining Signs (A a	Projects Document y Building g Pool/H pon of Pits, g wall >1r and B)	ents are attace	A. Consi B. Site P C. Drain D. Truss E. Floor F. Winc G. Energ H. Engir I. Code a J. Field I K. Fram L. CSA C	truction Plans Plan age Design Drawings Plans low/Door Specs. gy Efficiency Info. leered Products Analysis Review Forms ling Plan Pertificate	Water Storm Sanitar Drivew Not Ap Curb Cut Ye Existing P Ye Existing Ye	Sewer ry Sewer vay Culvert oplicable Required: rsNo Private Well: rsNo g Septic: rsNo	Formed Concrete I.C.F. (heated) Slab-on-Grade Slab-on-Grade (unheated) Helical Piles Deck Blocks Not Applicable Other: Heating System: Heat Pump Electric Oil Geothermal Solar Heated Slab Not Applicable Other:				
osed Work & Required	Applicable Projects (Required Documents): Single Family Dwelling (A to H) Accessory Dwelling Unit (A,B,E,F,H) Multi-unit Dwelling (A to H) Manufactured Home (A to H, and L) Commercial (A to J) Assembly/Institutional (A to J) Change of Occupancy (E,I & J) Interior Renovation (E, H) Exterior Renovation (F) Addition (A to H) Deck (B and K) Accessory Building >27.0m² (B and K) Roofing Solar Energy Installation (A,B,D & H) Geothermal System (A,B,E & H) Other (per Building Inspector):	Applicable I (Required D Accessor Swimmir Excavatio Retaining Signs (A a signs (A a required as, specification action and use are dunder the property and as or approval on and may als by Protection Ac of an open bui bye cannot be give cannot be	Projects Document y Building g Pool/H pon of Pits, g wall >1r and B) A document is, all laws of the desis permit must be of (s); (6) theco ct, that un lding or d gin until t	ents are attact s of Canada and to velopment applie by the Building Incarried out in strength of the control to communicate eless required to evelopment perriche required fee	A. Consi B. Site P C. Drain D. Truss E. Floor F. Winc G. Energ H. Engir I. Code J. J. Field I K. Fram L. CSA C	truction Plans Plan age Design Drawings Plans low/Door Specs. gy Efficiency Info. Interest Products Analysis Review Forms ing Plan Iterrificate application to m Item Brunswick, the B Item by the Above st blic authorities at all with the National Bui poplication will be for- project contacts (i.e. ac Village of New Mar on the Service New B	Water Storm Sanitar Drivew Not Ap Curb Cut Ye Existing P Ye Existing P Ye Existing I I in imize pr By-laws of the tructure(s) focus warded to Secontractors, ryland will no surunswick Lair	Sewer ry Sewer ry Sewer ry Sewer ry Sewer ry Culvert oplicable Required: rsNo Private Well: rsNo g Septic: rsNo Focessing dela e Village of New or the purpose(s) e understand (s) to this applicat ervice New Brur engineers, elec ot share your pend d Gazette Regis	Formed Concrete I.C.F. (heated) Slab-on-Grade Slab-on-Grade (unheated) Helical Piles Deck Blocks Not Applicable Other: Heating System: Heat Pump Electric Oil Geothermal Solar Heated Slab Not Applicable Other:				

Date:



Village of New Maryland Building Permit / Development Permit Application Form

Development Services Department 584 New Maryland Hwy. New Maryland, NB E3C 1K1 T. 506.451.8508 F. 506.450.1605 Page 1 of 2

Revised: 18 May 2023

		e: Pl																																								n
		iices,		struc	LIUI	1 10	pro	pei	ty i	me.	s. (3	now	. P	rope	rty	טט י	unu	urie	25, 3	ue	eis,	un	vew	uys,	, bu	ııuı	nys	/511	uci	ure	3, 3	elb	uck	(S, C	jvei	ne	uuj	unc	<i>ier</i> g	jiot	mu	
ľ																																										_
i idii Didwiii§																																										
,																																										
3																																										
2110																																										
-		olicat				_		4.				41					Ι,					F4	72).				+	Date Received:														
-		lding relop								OJ E	IC + ;	520)					+-						73): 73):					Existing Zoning: Corner Lot: ☐ Yes ☐ No											_			
		stru															+		_		G.L. 02210):							Zone Standards: Complies										_				
ļ		eral S			_												+		_		G.L. 15590): G.L. 15172):							□ Variance Required										_				
-		b Cut nmei				er me	etre -	min	2 m	etre	char	ge)					K	ece	ipt i	‡ (G	.L. 1	.51	/2):				-	PAC Terms & Conditions:														
<u>^</u>																	Ot	her	Rec	uir	ed A	۱pp	rova	ls:			•															
)		OTI (A																				□ NB 911																				
011100 030		Vetla			Nate	erco	ours	e A	lter	atic	n P	ermi	t									□ NB Fire Marshall																				
5		Vell/	_																		□ Other												_									
		Coun	cil/P/	AC															Stof	fΛr	pro	Val	•																			
ŀ					··																		٥				T	Date:														
	Dev	elop	men	t Of	tice	r:																																				
	Pub	ıblic Works Supervisor:																																								
	Buil	lding	Insp	ecto	or: _																	_						Dat	:e: _													
	Building Inspector: □ Development Permit □ Building Permit Permit #:											Date Permit Issued:																														

Swimming Pool Installation Notification For Inspectors

	Owner			Installer
Name: Address:			Name: Address:	
Phone:	Office: Cell: Home:		Phone:	Office: Cell: Fax:
	Site Locatio	n		Electrical Contractor
Name: Address: Date Requirements NB Power Enbridge		I Inspection: call for locate call for locate		Office: Cell: Fax:
	l Water / Sewage-		Informatio	